L Number	Hits	Search Text	DB	Time stamp
-	1876	printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 16:53
-	25884	(confidential secur$6) near4 (print$4 job document file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 16:57
-	633	(printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret)) and ((confidential secur$6) near4 (print$4 job document file))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 16:57
-	74	user with enter$4 same (printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 16:58
-	415	((confidential secur$6) near4 (print$4 job document file)) same (printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 16:58
-	74	(user with enter$4 same (printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret))) same (printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:14
-	12	(user with enter$4 same (printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret))) same ((confidential secur$6) near4 (print$4 job document file))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 17:01
-	40	printer same (perform$4 process$4) same (print$4 adj (job data)) same (printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 17:04
-	20	(printer same (perform$4 process$4) same (print$4 adj (job data)) same (printer same (screen display$4 panel ui (user adj interface)) same (password secur$6 secret))) and ((confidential secur$6) near4 (print$4 job document file))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 11:57
-	10299	(secur$4 privileg$4 confiden$4) near4 ((print adj job) job document file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:13
-	1976	user with (assign$4 enter$4) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:28
-	25	((secur$4 privileg$4 confiden$4) near4 ((print adj job) job document file)) same (user with (assign$4 enter$4) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 17:54
-	133	((secur$4 privileg$4 confiden$4) near4 ((print adj job) job document file)) and (user with (assign$4 enter$4) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:28
-	23	(print adj job) with print with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 16:36

–	2	6307640.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 16:36
–	1	6307640.pn. and alternativ$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 16:36
–	25	((secur$4 privileg$4 confiden$4) near4 ((print adj job) job document file)) same (user with (assign$4 enter$4) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:02
–	15862	(print$4 adj job data) same ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:13
–	9607	(print$4 adj job data) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:09
–	132	(user operator client) with (creat$4 setting assign$4) with ((print$4 adj job data) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:12
–	4055	(match$4 compar$4) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:15
–	41	((user operator client) with (creat$4 setting assign$4) with ((print$4 adj job data) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))) and ((match$4 compar$4) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:18
–	20	(((user operator client) with (creat$4 setting assign$4) with ((print$4 adj job data) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))) and ((match$4 compar$4) with ((password secur$6 secret privileg$4 person$4 confiden$4) near4 (number code)))) and (printer fax facsimile copier copy)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:19
–	594	(user client operator) same (computer workstation terminal) same (assign$4 creat$4 set setting establish$4) same ((person$4 adj (identification id)) secret$4 authori$6 confident$4 secur$4) with ((print$4 adj (job data)) document file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 13:21
–	1	re37031.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 12:14
–	1	re37031.pn. and user	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 12:47
–	184212	ricoh.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 12:48

-	8	((user client operator) same (computer workstation terminal) same (assign$4 creat$4 set setting establish$4) same ((person$4 adj (identification id)) secret$4 authori$6 confident$4 secur$4) with ((print$4 adj (job data)) document file)) and ricoh.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 12:48
-	50	((user client operator) same (computer workstation terminal) same (assign$4 creat$4 set setting establish$4) same ((person$4 adj (identification id)) secret$4 authori$6 confident$4 secur$4) with ((print$4 adj (job data)) document file)) same print	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 14:36
-	766	confidenT$4 adj (document file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 14:36
-	92	(confidenT$4 adj (document file)) and ricoh.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 16:08
-	2819	printer with (alarm$4 sound$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 16:11
-	0	(printer with (alarm$4 sound$4)) with (print adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 16:10
-	2	(printer with (alarm$4 sound$4)) with (print$4 adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 16:11
-	9	(printer with (alarm$4 sound$4)) same (print$4 adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 09:53
-	2147968	either	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 09:54
-	12439	either with 'or'	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 12:38
-	2	6307640.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 14:29
-	2	6151421.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 14:29
-	1	6151421.pn. and sort$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 14:29
-	119	request$4 with (id identif$6 password number) with (print$4 adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:29
-	69	(request$4 with (id identif$6 password number) with (print$4 adj job)) same (printer copier copy adj machine fax)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:16
-	51	(request$4 with (id identif$6 password number) with (print$4 adj job)) with (printer copier copy adj machine fax)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:16

–	51	(request$4 with (id identif$6 password number) with (print$4 adj job)) with (printer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:19
–	45796	(display$4 panel ui user adj interface) with (printer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:50
–	26	((request$4 with (id identif$6 password number) with (print$4 adj job)) with (printer)) and ((display$4 panel ui user adj interface) with (printer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:20
–	32709	request$4 near3 (id identif$6 password number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:37
–	2	6307640.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:50
–	2	6307640.pn. and panel	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:38
–	28448	(display$4 panel ui user adj interface) near4 (printer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:51
–	1370	(request$4 near3 (id identif$6 password number)) and ((display$4 panel ui user adj interface) near4 (printer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:51
–	5	(request$4 near3 (id identif$6 password number)) with ((display$4 panel ui user adj interface) near4 (printer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:54
–	34	(request$4 near3 (id identif$6 password number)) same ((display$4 panel ui user adj interface) near4 (printer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:54
–	29	((request$4 near3 (id identif$6 password number)) same ((display$4 panel ui user adj interface) near4 (printer))) not ((request$4 near3 (id identif$6 password number)) with ((display$4 panel ui user adj interface) near4 (printer)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 17:58
–	144	printer with display$4 with (print adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 18:02
–	2	5982994.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 13:08
–	1	5999707.pn. and generator	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:58
–	20	printer with display$4 with stor$4 with (print adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 17:48
–	2820	printer with (sound$4 alarm$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 17:51
–	3	(printer with (sound$4 alarm$4)) same (print adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 17:50

–	31	(sound$4 alarm$4) same (print$ adj job)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 17:35
–	31	((sound$4 alarm$4) same (print$ adj job)) and print$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 13:55
–	2	5970228.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 18:11
–	1	5970228.pn. and (display$4 with printer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 10:32
–	1	5970228.pn. and (display$4 with printer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 12:21
–	38	(user operator client driver ui (user adj interface)) with ((confident$4 secre$4) adj print$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 13:44
–	2	((print$4 adj driver) ui (user adj interface)) with ((confident$4 secre$4) adj print$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 12:46
–	3	((print$4 adj driver) ui (user adj interface)) same ((confident$4 secre$4) adj print$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 12:48
–	15	((print$4 adj driver) ui (user adj interface)) and ((confident$4 secre$4) adj print$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 12:48
–	12	(user operator client) with (select$4 enter$4 input$4) with ((confident$4 secre$4) adj print$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 13:47
–	38	((sound$4 alarm$4) same (print$ adj job)) and print$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/23 14:03
–	3751	358/1.15.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:59
–	11723	(358/1.1-1.18).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:02
–	208	(358/405).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:04
–	897	(358/438-441).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:05
–	926	(358/468).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:05
–	193	(382/101).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:05
–	283	(382/115).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:07

–	199	(709/207).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:07
–	1295	(709/224).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:07
–	2944	(709/227-232).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:08
–	107	(709/240).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:09
–	471	(709/245).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:10
–	393	(710/31,33).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 13:12
–	106	(710/44,46).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 15:08
–	372	display$4 with (print$ adj (job data)) with receiv$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 15:14
–	127	(messag$4 inform$4 warn$4) with (print$4 adj (job data)) near4 receiv$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 15:42
–	15	((messag$4 inform$4 warn$4) with (print$4 adj (job data)) near4 receiv$4) with (display$4 alarm$4 sound$4 beep$4 buzz$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 15:44
–	164	(messag$4 inform$4 warn$4 notif$4) with (print$4 adj (job data)) near4 receiv$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 16:03
–	20	((messag$4 inform$4 warn$4 notif$4) with (print$4 adj (job data)) near4 receiv$4) same (display$4 alarm$4 sound$4 beep$4 buzz$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 16:17
–	0	(((messag$4 inform$4 warn$4 notif$4) with (print$4 adj (job data)) near4 receiv$4) same (display$4 alarm$4 sound$4 beep$4 buzz$4)) not ((messag$4 inform$4 warn$4 notif$4) with (print$4 adj (job data)) near4 receiv$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 15:45
–	5	(((messag$4 inform$4 warn$4 notif$4) with (print$4 adj (job data)) near4 receiv$4) same (display$4 alarm$4 sound$4 beep$4 buzz$4)) not (((messag$4 inform$4 warn$4) with (print$4 adj (job data)) near4 receiv$4) with (display$4 alarm$4 sound$4 beep$4 buzz$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 15:45
–	1277	(messag$4 inform$4 warn$4 notif$4) with (print$4 adj (job data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 16:16
–	1583	(messag$4 inform$4 warn$4 notif$4 report$4) with (print$4 adj (job data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 16:17

-	413	((messag$4 inform$4 warn$4 notif$4 report$4) with (print$4 adj (job data))) same (display$4 alarm$4 sound$4 beep$4 buzz$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/24 16:18